

Hyper Acidity

- Dr. Srikanta Choudhury

Name : Sri Sanjoy Das.
Age: 42 Years.
Sex : Male.
Religion : Hinduism.
Occupation : Business.
Address : Naity Road , Barabahera, Hooghly
Date of Case Taking : May 11, 1997 .
Constitution:
Medium structured, bright in looking. Previously emaciated and present by slight fatty. Thin and
black hair.
Present Complain :
Pain in the stomach and below the scapular region.
< 11 am and 4 pm , Empty stomach.
> Full stomach, after taking food.
2. Suffering from last six months.
< 11 am and 4 pm , Empty stomach.
> Full stomach, 2-3 hours after taking food.
3. Sourness of the mouth.

5. Finger cramps during writing. Increasing since few days.



Generalities:	
Appetite – Good. Tolerable.	
Thirst - Less.	
Prefer – Meat.	
Aversion – Milk.	
Disorder – Milk, egg.	
Thirst - Less.	
Stool – With mucous. Daily 2-3 times. Slightly offensive. Not clear. Require more time.	
Urine - Normal .	
Sweat – Excess after exhaustions. Sweat in face. Yellow stain. Offensive odor in shocks. Sole sweat in winter.	
Sleep - Good.	
Dream – Being died	
Thermal Relation – Hot patient. Hot weather intolerable. Prefer winter season. Dislike rainy season Always expel white sputum.	n.
Mental in General :	
Tension – Tension for suffering, Thought either the case was surgical or not. Fear of ailments.	
Temper – Slight by irritated.	
Memory – Weak.	
Talent – Good.	
Nature - Dirty. Not accomplished.	
Past History :	
Baggy on left groin, operated.	
Black fever.	
Eczema.	
Ring warm. Malaria.	
Typhoid.	
Warts.	



Vaccinated.
Family History :
Father – Bronchitis.
Mother – Rheumatic trouble. Heartburn. Burning urination
Physical Examination :
Pulse – 76.
Temperature - Normal
Mouth – Yellow tongue.
Liver – Normal .
Lungs and Heart – Normal .
Abdomen – Tender.
Last Treatment :
Allopathic treatment till case taking.
Analysis of the Case :
The case was mainly syco-psoric. For antidoting the allopathic medicine Nux Vomica was administered first.
Treatment :



11.05.1997 .
Nux Vomica – LM/2.
One medicated globules No. 10 mixed in 60ml of distilled water. Add 15-20 drops of alcohol for preservation. The phial divided into 8 equal doses. After 10 succussions, one dose was mixed in 3/4th glass of water. One teaspoon solution applied in the after taking food. Three doses daily.
Advised to report after two days.
13.05.1997.
Pain persists but less acidity. Sour smell from stool. The aversion and disorder in milk indicated me to prescribe Aethusa Cynapium .
Aethusa Cynapium – LM/2. Mood of preparation and administration was same. Two doses daily.
19.05.1997.
Improvement follows.
Aethusa Cynapium – LM/3. 60 ml, 8 doses. One dose daily.
24.05.1997 .
Medicinal effect was good. Yesterday pain started due to irregularities of diet. Stool and urine normal. Sour smell of stool still present. Less of appetite in the evening.
Aethusa Cynapium – LM/4. 60 ml, 8 doses. One dose daily.
08.06.1997 .



Improved in all respect. Pinching pain in the evening. Stool and urine normal.

Aethusa Cynapium – LM/5. 60 ml, 8 doses. One dose daily.

20.06.1997.

More improved. No pain in chest, slightly present in back region. Stool 2-3 times, not clear. Mentally improved.

Aethusa Cynapium - LM/6. 60 ml, 8 doses. One dose daily.

27.06.1997.

Well. Milk was tolerated. Stool normal. Miasmatic indication was Thuja Occidentalis.

Thuja Occidentalis – LM/3. 8 doses in 60 ml of D.W. One dose daily in the morning.

25.07.1997.

Normal in all side. Slight pain was feeling in back region since last 6-7 days.

Thuja Occidentalis – LM/4.. 8 doses each in 60 ml vial. One dose daily morning.

Reported after three months that he was absolutely fit.